

EXPO
INOX

DELINEA



DELINEA
Leaving

**CANCELLI
A RAGGIO**
**SWING OPEN
GATES**

80

Cielo *style*



Cancello a raggio con uno o due pannelli. Le dimensioni e la predisposizione per l'installazione di un impianto di automazione sono a richiesta del cliente. Non necessita di alcuna manutenzione e conserva inalterate nel tempo tutte le qualità meccaniche ed estetiche dell'acciaio inox satinato.

***Swing open gates** with one or two panels. Dimensions and motorized lock are on request of customer. It does not need any type of maintenance and keeps all mechanical and aesthetical qualities of stainless steel in time passing-by.*



CIELO-COMPANY

Cancello a raggio modello Cielo-Company.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi neri in plastica.

*Swing open gate style Cielo-Company.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with black plastic caps.*



CIELO-CLASSICA

Cancello a raggio modello Cielo-Classica.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi inox.




*Swing open gate style Cielo-Classica.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with stainless steel caps.*



CIELO-ETICA

Cancello a raggio modello Cielo-Etica.
Acciaio inox AISI 304 satinato o AISI 316L.

*Swing open gate style Cielo-Etica.
Stainless steel AISI 304 satin finish or AISI 316L.*



COD.	L	P	H	H1	X
RAG1COM	*	132	*	*	20

COD.	L	P	H	H1	X
RAG1CLA	*	132	*	*	20
RAG1CLAF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG1ETI	*	132	*	*	20
RAG1ETIF	*	110	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



CIELO-JET

Cancello a raggio modello Cielo-Jet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte inox.

*Swing open gate style Cielo-Jet.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with pointed fittings in stainless steel.*



CIELO-EGO

Cancello a raggio modello Cielo-Ego.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e borchie inox.




*Swing open gate style Cielo-Ego.
Pipes with pointed fittings and studs in
stainless steel.*



CIELO-DOUBLE

Cancello a raggio modello Cielo-Double.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e due borchie inox.

*Swing open gate style Cielo-Double.
Pipes with pointed fittings and two studs in
stainless steel.*



COD.	L	P	H	H1	X
RAG1JET	*	132	*	*	20
RAG1JETF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG1EGO	*	132	*	*	20
RAG1EGOF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG1DOU	*	132	*	*	20
RAG1DOUF	*	110	*	*	20



DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



CIELO-ONDA

Cancello a raggio modello Cielo-Onda.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con tappi inox.

*Swing open gate style Cielo-Onda.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with stainless steel caps.*



CIELO-ONDAJET

Cancello a raggio modello Cielo-Ondajet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con punte inox.




*Swing open gate style Cielo-Ondajet.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with pointed fittings in stainless steel.*



CIELO-GEA

Cancello a raggio modello Cielo-Gea.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi e dritti alternati.

*Swing open gate style Cielo-Gea.
Stainless steel AISI 304 satin finish or AISI 316L.
Alternating bended pipes and straight pipes.*



COD.	L	P	H	H1	X
RAG1OND	*	132	*	*	20
RAG1ONDF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG1ONDP	*	132	*	*	20

COD.	L	P	H	H1	X
RAG1GEA	*	132	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST


ALCUNI CANCELLI A RAGGIO REALIZZATI



CIELO-ELEGANT

Cancello a raggio modello Cielo-Elegant.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi.

*Swing open gate style Cielo-Elegant.
Stainless steel AISI 304 satin finish or AISI 316L.
Bended pipes.*



COD.	L	P	H	H1	X
RAG1ELE	*	132	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST

CIELO

SOME REALIZED SWING OPEN GATES



Linea style



Cancello a raggio con uno o due pannelli costituito da tubolari saldati a TIG e pannellatura in lamiera pressopiegata. Le dimensioni e la predisposizione per l'installazione di un impianto di automazione sono a richiesta del cliente. Non necessita di alcuna manutenzione e conserva inalterate nel tempo tutte le qualità meccaniche ed estetiche dell'acciaio inox AISI 304 satinato (standard) o AISI 316L.

Swing open gate with one or two panels composed of T.I.G. welded pipes with lower panel in sheet metal. Dimensions and motorized lock are on request of customer. It does not need any type of maintenance and keeps all mechanical and aesthetical qualities of stainless steel AISI 304 satin finished (standard) or AISI 316L.



LINEA-COMPANY

Cancello a raggio modello Linea-Company.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi neri in plastica.

*Swing open gate style Linea-Company.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with black plastic caps.*



LINEA-CLASSICA

Cancello a raggio modello Linea-Classica.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi inox.




*Swing open gate style Linea-Classica.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with stainless steel caps.*



LINEA-ETICA

Cancello a raggio modello Linea-Etica.
Acciaio inox AISI 304 satinato o AISI 316L.

*Swing open gate style Linea-Etica.
Stainless steel AISI 304 satin finish or AISI 316L.*



COD.	L	P	H	H1	X
RAG2COM	*	132	*	*	20

COD.	L	P	H	H1	X
RAG2CLA	*	132	*	*	20
RAG2CLAF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG2ETI	*	132	*	*	20
RAG2ETIF	*	110	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



LINEA-JET

Cancello a raggio modello Linea-Jet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte inox.

*Swing open gate style Linea-Jet.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with pointed fittings in stainless steel.*



LINEA-EGO

Cancello a raggio modello Linea-Ego.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e borchie inox.




*Swing open gate style Linea-Ego.
Pipes with pointed fittings and studs in
stainless steel.*



LINEA-DOUBLE

Cancello a raggio modello Linea-Double.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e due borchie inox.

*Swing open gate style Linea-Double.
Pipes with pointed fittings and two studs in
stainless steel.*



COD.	L	P	H	H1	X
RAG2JET	*	132	*	*	20
RAG2JETF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG2EGO	*	132	*	*	20
RAG2EGOF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG2DOU	*	132	*	*	20
RAG2DOUF	*	110	*	*	20



DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



LINEA-ONDA

Cancello a raggio modello Linea-Onda.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con tappi inox.

*Swing open gate style Linea-Onda.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with stainless steel caps.*



LINEA-ONDAJET

Cancello a raggio modello Linea-Ondajet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con punte inox.




*Swing open gate style Linea-Ondajet.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with pointed fittings in stainless steel.*



LINEA-GEA

Cancello a raggio modello Linea-Gea.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi e dritti alternati.

*Swing open gate style Linea-Gea.
Stainless steel AISI 304 satin finish or AISI 316L.
Alternating bended pipes and straight pipes.*



COD.	L	P	H	H1	X
RAG2OND	*	132	*	*	20
RAG2ONDF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG2ONDP	*	132	*	*	20

COD.	L	P	H	H1	X
RAG2GEA	*	132	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST


ALCUNI CANCELLI A RAGGIO REALIZZATI



LINEA-ELEGANT

Cancello a raggio modello Linea-Elegant.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi.

*Swing open gate style Linea-Elegant.
Stainless steel AISI 304 satin finish or AISI 316L.
Bended pipes.*



COD.	L	P	H	H1	X
RAG2ELE	*	132	*	*	20



DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST

LINEA

SOME REALIZED SWING OPEN GATES



Sat style



Cancello a raggio con uno o due pannelli costituito da tubolari saldati a TIG e pannellatura in lamiera pressopiegata. Le dimensioni e la predisposizione per l'installazione di un impianto di automazione sono a richiesta del cliente. Non necessita di alcuna manutenzione e conserva inalterate nel tempo tutte le qualità meccaniche ed estetiche dell'acciaio inox AISI 304 satinato (standard) o AISI 316L.

Swing open gate with one or two panels composed of T.I.G. welded pipes with lower panel in sheet metal. Dimensions and motorized lock are on request of customer. It does not need any type of maintenance and keeps all mechanical and aesthetical qualities of stainless steel AISI 304 satin finished (standard) or AISI 316L.



SAT-COMPANY

Cancello a raggio modello Sat-Company.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi neri in plastica.

*Swing open gate style Sat-Company.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with black plastic caps.*



SAT-CLASSICA

Cancello a raggio modello Sat-Classica.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi inox.




*Swing open gate style Sat-Classica.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with stainless steel caps.*



SAT-ETICA

Cancello a raggio modello Sat-Etica.
Acciaio inox AISI 304 satinato o AISI 316L.

*Swing open gate style Sat-Etica.
Stainless steel AISI 304 satin finish or AISI 316L.*



COD.	L	P	H	H1	X
RAG3COM	*	132	*	*	20

COD.	L	P	H	H1	X
RAG3CLA	*	132	*	*	20
RAG3CLAF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG3ETI	*	132	*	*	20
RAG3ETIF	*	110	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



SAT-JET

Cancello a raggio modello Sat-Jet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte inox.

*Swing open gate style Sat-Jet.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with pointed fittings in stainless steel.*



SAT-EGO

Cancello a raggio modello Sat-Ego.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e borchie inox.




*Swing open gate style Sat-Ego.
Pipes with pointed fittings and studs in
stainless steel.*



SAT-DOUBLE

Cancello a raggio modello Sat-Double.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e due borchie inox.

*Swing open gate style Sat-Double.
Pipes with pointed fittings and two studs in
stainless steel.*



COD.	L	P	H	H1	X
RAG3JET	*	132	*	*	20
RAG3JETF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG3EGO	*	132	*	*	20
RAG3EGOF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG3DOU	*	132	*	*	20
RAG3DOUF	*	110	*	*	20



DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



SAT-ONDA

Cancello a raggio modello Sat-Onda.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con tappi inox.

*Swing open gate style Sat-Onda.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with stainless steel caps.*



SAT-ONDAJET

Cancello a raggio modello Sat-Ondajet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con punte inox.




*Swing open gate style Sat-Ondajet.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with pointed fittings in stainless steel.*



SAT-GEA

Cancello a raggio modello Sat-Gea.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi e dritti alternati.

*Swing open gate style Sat-Gea.
Stainless steel AISI 304 satin finish or AISI 316L.
Alternating bended pipes and straight pipes.*



COD.	L	P	H	H1	X
RAG3OND	*	132	*	*	20
RAG3ONDF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG3ONDP	*	132	*	*	20

COD.	L	P	H	H1	X
RAG3GEA	*	132	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST




ALCUNI CANCELLI A RAGGIO REALIZZATI



SAT-ELEGANT

Cancello a raggio modello Sat-Elegant.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi.

*Swing open gate style Sat-Elegant.
Stainless steel AISI 304 satin finish or AISI 316L.
Bended pipes.*



COD.	L	P	H	H1	X
RAG3ELE	*	132	*	*	20



* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST

SAT

SOME REALIZED SWING OPEN GATES

DELINEA



Star style



Cancello a raggio con uno o due pannelli costituito da tubolari saldati a TIG con pannello di recinzione e zoccolatura inferiore a doppio tubetto. Le dimensioni e la predisposizione per l'installazione di un impianto di automazione sono a richiesta del cliente. Non necessita di alcuna manutenzione e conserva inalterate nel tempo tutte le qualità meccaniche ed estetiche dell'acciaio inox AISI 304 satinato (standard) o AISI 316L.

Swing open gate with one or two panels composed of T.I.G. welded tubular pipes with fencing panel and lower part with double pipes. Dimensions and motorized lock are on request of customer. It does not need any type of maintenance and keeps all mechanical and aesthetical qualities of stainless steel AISI 304 satin finished (standard) or AISI 316L.



STAR-COMPANY

Cancello a raggio modello Star-Company.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi neri in plastica.

*Swing open gate style Star-Company.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with black plastic caps.*



STAR-CLASSICA

Cancello a raggio modello Star-Classica.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi inox.




*Swing open gate style Star-Classica.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with stainless steel caps.*



STAR-ETICA

Cancello a raggio modello Star-Etica.
Acciaio inox AISI 304 satinato o AISI 316L.

*Swing open gate style Star-Etica.
Stainless steel AISI 304 satin finish or AISI 316L.*



COD.	L	P	H	H1	X
RAG4COM	*	132	*	*	20

COD.	L	P	H	H1	X
RAG4CLA	*	132	*	*	20
RAG4CLAF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG4ETI	*	132	*	*	20
RAG4ETIF	*	110	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



STAR-JET

Cancello a raggio modello Star-Jet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte inox.

*Swing open gate style Star-Jet.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with pointed fittings in stainless steel.*



STAR-EGO

Cancello a raggio modello Star-Ego.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e borchie inox.




*Swing open gate style Star-Ego.
Pipes with pointed fittings and studs in
stainless steel.*



STAR-DOUBLE

Cancello a raggio modello Star-Double.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e due borchie inox.

*Swing open gate style Star-Double.
Pipes with pointed fittings and two studs in
stainless steel.*



COD.	L	P	H	H1	X
RAG4JET	*	132	*	*	20
RAG4JETF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG4EGO	*	132	*	*	20
RAG4EGOF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG4DOU	*	132	*	*	20
RAG4DOUF	*	110	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



STAR-ONDA

Cancello a raggio modello Star-Onda.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con tappi inox.

*Swing open gate style Star-Onda.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with stainless steel caps.*



STAR-ONDAJET

Cancello a raggio modello Star-Ondajet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con punte inox.




*Swing open gate style Star-Ondajet.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with pointed fittings in stainless steel.*



STAR-GEA

Cancello a raggio modello Star-Gea.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi e dritti alternati.

*Swing open gate style Star-Gea.
Stainless steel AISI 304 satin finish or AISI 316L.
Alternating bended pipes and straight pipes.*



COD.	L	P	H	H1	X
RAG40ND	*	132	*	*	20
RAG40NDF	*	110	*	*	20

COD.	L	P	H	H1	X
RAG40NDP	*	132	*	*	20

COD.	L	P	H	H1	X
RAG4GEA	*	132	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST


ALCUNI CANCELLI A RAGGIO REALIZZATI



STAR-ELEGANT

Cancello a raggio modello Star-Elegant.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi.

*Swing open gate style Star-Elegant.
Stainless steel AISI 304 satin finish or AISI 316L.
Bended pipes.*



COD.	L	P	H	H1	X
RAG4ELE	*	132	*	*	20



* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST

STAR

SOME REALIZED SWING OPEN GATES




Globo style



Cancello a raggio con uno o due pannelli costituito da tubolari saldati a TIG, pannellatura in lamiera pressopiegata o satinata alternata e pannello di recinzione. Le dimensioni e la predisposizione per l'installazione di un impianto di automazione sono a richiesta del cliente. Non necessita di alcuna manutenzione e conserva inalterate nel tempo tutte le qualità meccaniche ed estetiche dell'acciaio inox AISI 304 satinato (standard) o AISI 316L.


Swing open gate with one or two panels composed of T.I.G. welded tubular pipes with panelling in sheet metal or alternated satin finished and fencing panel. Dimensions and motorized lock are on request of customer. It does not need any type of maintenance and keeps all mechanical and aesthetical qualities of stainless steel AISI 304 satin finished (standard) or AISI 316L.



GLOBO BOM

Cancello a raggio modello Globo bombato.
Acciaio inox AISI 304 satinato o AISI 316L.
Lamiera bombata.

*Swing open gate style Globo convexed.
Stainless steel AISI 304 satin finish or AISI 316L.
Convex plated.*



GLOBO INT

Cancello a raggio modello Globo intrecciato.
Acciaio inox AISI 304 satinato o AISI 316L.
Lamiera intrecciata.




*Swing open gate style Globo braided.
Stainless steel AISI 304 satin finish or AISI 316L.
Braid plated.*



GLOBO SAT

Cancello a raggio modello Globo satinato.
Acciaio inox AISI 304 satinato o AISI 316L.
Lamiera satinata.

*Swing open gate style Globo satin finished.
Stainless steel AISI 304 satin finish or AISI 316L.
Satin finish plated.*



COD.	L	H
RAG5BOM	*	*

COD.	L	H
RAG5INT	*	*

COD.	L	H
RAG5SAT	*	*

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST

ALCUNI CANCELLI A RAGGIO REALIZZATI

SOME REALIZED SWING OPEN GATES

GLOBO



Futura style



Cancello a raggio realizzato in acciaio inossidabile con tecnologia laser e tubi e montanti a sezione tonda. Le dimensioni e la predisposizione per l'installazione di un impianto di automazione sono a richiesta del cliente. Non necessita di alcuna manutenzione e conserva inalterate nel tempo tutte le qualità meccaniche ed estetiche dell'acciaio inox AISI 304 satinato (standard) o AISI 316L.

Swing open gate composed of vertical pipes, standard pitch and horizontal shaped tubular pipes. Dimensions and motorized lock are on request of customer. It does not need any type of maintenance and keeps all mechanical and aesthetical qualities of stainless steel AISI 304 satin finished (standard) or AISI 316L.



FUTURA

Cancello a raggio modello Futura.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi inox.

*Swing open gate style Futura.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with stainless steel caps.*



FUTURA1

Cancello a raggio modello Futura1.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte inox.




*Swing open gate style Futura1.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with pointed fittings in stainless steel.*



FUTURA2

Cancello a raggio modello Futura2.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e borchie inox.

*Swing open gate style Futura2.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with pointed fittings and studs in stainless steel.*



COD.	L	P	H	H1	X
RAGFUT	*	132	*	*	20

COD.	L	P	H	H1	X
RAGFUT1	*	132	*	*	20

COD.	L	P	H	H1	X
RAGFUT2	*	132	*	*	20


* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



FUTURA3

Cancello a raggio modello Futura3.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e due borchie inox.

*Swing open gate style Futura3.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with pointed fittings and two studs in
stainless steel.*



COD.	L	P	H	H1	X
RAGFUT3	*	132	*	*	20



distributore - reseller

Expo inox s.p.a.

27027 Gropello Cairoli (Pavia)

tel. 0039 0382 814343

fax 0039 0382 817223

expoinox@expoinox.com

www.expoinox.com