

EXPO
INOX

DELINEA



DELINEA
Leaving

**CANCELLI
SCORREVOLI**

**SLIDING
GATES**

80

Cielo style



Cancello scorrevole costituito da tubolari saldati a TIG e pannello di recinzione. Le dimensioni e la predisposizione per l'installazione di un impianto di automazione sono a richiesta del cliente. Non necessita di alcuna manutenzione e conserva inalterate nel tempo tutte le qualità meccaniche ed estetiche dell'acciaio inox AISI 304 satinato (standard) o AISI 316L.

Sliding gate composed of T.I.G. welded pipes and fencing panel. Dimensions and motorized lock are on request of customer. It does not need any type of maintenance and keeps all mechanical and aesthetical qualities of stainless steel AISI 304 satin finished (standard) or AISI 316L.



CIELO-COMPANY

Cancello scorrevole modello Cielo-Company.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi neri in plastica.

*Sliding gate style Cielo-Company.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with black plastic caps.*



CIELO-CLASSICA

Cancello scorrevole modello Cielo-Classica.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi inox.




*Sliding gate style Cielo-Classica.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with stainless steel caps.*



CIELO-ETICA

Cancello scorrevole modello Cielo-Etica.
Acciaio inox AISI 304 satinato o AISI 316L.

*Sliding gate style Cielo-Etica.
Stainless steel AISI 304 satin finish or AISI 316L.*



COD.	L	P	H	H1	X
SCO1COM	*	132	*	*	20

COD.	L	P	H	H1	X
SCO1CLA	*	132	*	*	20
SCO1CLAF	*	110	*	*	20

COD.	L	P	H	H1	X
SCO1ETI	*	132	*	*	20
SCO1ETIF	*	110	*	*	20



DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



CIELO-JET

Cancello scorrevole modello Cielo-Jet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte inox.

*Sliding gate style Cielo-Jet.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with pointed fittings in stainless steel.*



CIELO-EGO

Cancello scorrevole modello Cielo-Ego.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e borchie inox.




*Sliding gate style Cielo-Ego.
Pipes with pointed fittings and studs in
stainless steel.*



CIELO-DOUBLE

Cancello scorrevole modello Cielo-Double.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e due borchie inox.

*Sliding gate style Cielo-Double.
Pipes with pointed fittings and two studs in
stainless steel.*



COD.	L	P	H	H1	X
SCO1JET	*	132	*	*	20
SCO1JETF	*	110	*	*	20

COD.	L	P	H	H1	X
SCO1EGO	*	132	*	*	20
SCO1EGOF	*	110	*	*	20

COD.	L	P	H	H1	X
SCO1DOU	*	132	*	*	20
SCO1DOUF	*	110	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



CIELO-ONDA

Cancello scorrevole modello Cielo-Onda.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con tappi inox.

*Sliding gate style Cielo-Onda.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with stainless steel caps.*



CIELO-ONDAJET

Cancello scorrevole modello Cielo-Ondajet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con punte inox.




*Sliding gate style Cielo-Ondajet.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with pointed fittings in stainless steel.*



CIELO-GEA

Cancello scorrevole modello Cielo-Gea.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi e dritti alternati.

*Sliding gate style Cielo-Gea.
Stainless steel AISI 304 satin finish or AISI 316L.
Alternating bended pipes and straight pipes.*



COD.	L	P	H	H1	X
SCO1OND	*	132	*	*	20
SCO1ONDF	*	110	*	*	20

COD.	L	P	H	H1	X
SCO1ONDP	*	132	*	*	20

COD.	L	P	H	H1	X
SCO1GEA	*	132	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST




ALCUNI CANCELLI SCORREVOLI REALIZZATI



CIELO-ELEGANT

Cancello scorrevole modello Cielo-Elegant.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi.

*Sliding gate style Cielo-Elegant.
Stainless steel AISI 304 satin finish or AISI 316L.
Bended pipes.*



COD.	L	P	H	H1	X
SC01ELE	*	132	*	*	20



* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST

CIELO

SOME REALIZED SLIDING GATES

DELINEA



Linea style



Cancello scorrevole costituito da tubolari saldati a TIG e pannellatura inferiore in lamiera pressopiegata. Le dimensioni e la predisposizione per l'installazione di un impianto di automazione sono a richiesta del cliente. Non necessita di alcuna manutenzione e conserva inalterate nel tempo tutte le qualità meccaniche ed estetiche dell'acciaio inox AISI 304 satinato (standard) o AISI 316L.

Sliding gate composed of T.I.G. welded pipes with lower panel in sheet metal. Dimensions and motorized lock are on request of customer. It does not need any type of maintenance and keeps all mechanical and aesthetical qualities of stainless steel AISI 304 satin finished (standard) or AISI 316L.



LINEA-COMPANY

Cancello scorrevole modello Linea-Company.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi neri in plastica.

*Sliding gate style Linea-Company.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with black plastic caps.*



LINEA-CLASSICA

Cancello scorrevole modello Linea-Classica.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi inox.




*Sliding gate style Linea-Classica.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with stainless steel caps.*



LINEA-ETICA

Cancello scorrevole modello Linea-Etica.
Acciaio inox AISI 304 satinato o AISI 316L.

*Sliding gate style Linea-Etica.
Stainless steel AISI 304 satin finish or AISI 316L.*



COD.	L	P	H	H1	X
SCO2COM	*	132	*	*	20

COD.	L	P	H	H1	X
SCO2CLA	*	132	*	*	20
SCO2CLAF	*	110	*	*	20

COD.	L	P	H	H1	X
SCO2ETI	*	132	*	*	20
SCO2ETIF	*	110	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



LINEA-JET

Cancello scorrevole modello Linea-Jet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte inox.

*Sliding gate style Linea-Jet.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with pointed fittings in stainless steel.*

LINEA-EGO




Cancello scorrevole modello Linea-Ego.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e borchie inox.

*Sliding gate style Linea-Ego.
Pipes with pointed fittings and studs in
stainless steel.*

LINEA-DOUBLE

Cancello scorrevole modello Linea-Double.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e due borchie inox.

*Sliding gate style Linea-Double.
Pipes with pointed fittings and two studs in
stainless steel.*



COD.	L	P	H	H1	X
SCO2JET	*	132	*	*	20
SCO2JETF	*	110	*	*	20

COD.	L	P	H	H1	X
SCO2EGO	*	132	*	*	20
SCO2EGOF	*	110	*	*	20

COD.	L	P	H	H1	X
SCO2DOU	*	132	*	*	20
SCO2DOUF	*	110	*	*	20



DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



LINEA-ONDA

Cancello scorrevole modello Linea-Onda.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con tappi inox.

*Sliding gate style Linea-Onda.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with stainless steel caps.*



LINEA-ONDAJET

Cancello scorrevole modello Linea-Ondajet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con punte inox.




*Sliding gate style Linea-Ondajet.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with pointed fittings in stainless steel.*



LINEA-GEA

Cancello scorrevole modello Linea-Gea.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi e dritti alternati.

*Sliding gate style Linea-Gea.
Stainless steel AISI 304 satin finish or AISI 316L.
Alternating bended pipes and straight pipes.*



COD.	L	P	H	H1	X
SCO2OND	*	132	*	*	20
SCO2ONDF	*	110	*	*	20

COD.	L	P	H	H1	X
SCO2ONDP	*	132	*	*	20

COD.	L	P	H	H1	X
SCO2GEA	*	132	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST


ALCUNI CANCELLI SCORREVOLI REALIZZATI



LINEA-ELEGANT

Cancello scorrevole modello Linea-Elegant.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi.

*Sliding gate style Linea-Elegant.
Stainless steel AISI 304 satin finish or AISI 316L.
Bended pipes.*



COD.	L	P	H	H1	X
SCO2ELE	*	132	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST

LINEA

SOME REALIZED SLIDING GATES



Sat style



Cancello scorrevole costituito da tubolari saldati a TIG e pannellatura inferiore in lamiera pressopiegata. Le dimensioni e la predisposizione per l'installazione di un impianto di automazione sono a richiesta del cliente. Non necessita di alcuna manutenzione e conserva inalterate nel tempo tutte le qualità meccaniche ed estetiche dell'acciaio inox AISI 304 satinato (standard) o AISI 316L.

***Sliding gate** composed of T.I.G. welded pipes with lower panel in sheet metal. Dimensions and motorized lock are on request of customer. It does not need any type of maintenance and keeps all mechanical and aesthetical qualities of stainless steel AISI 304 satin finished (standard) or AISI 316L.*



SAT-COMPANY

Cancello scorrevole modello Sat-Company.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi neri in plastica.

*Sliding gate style Sat-Company.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with black plastic caps.*



SAT-CLASSICA

Cancello scorrevole modello Sat-Classica.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi inox.




*Sliding gate style Sat-Classica.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with stainless steel caps.*



SAT-ETICA

Cancello scorrevole modello Sat-Etica.
Acciaio inox AISI 304 satinato o AISI 316L.

*Sliding gate style Sat-Etica.
Stainless steel AISI 304 satin finish or AISI 316L.*



COD.	L	P	H	H1	X
SCO3COM	*	132	*	*	20

COD.	L	P	H	H1	X
SCO3CLA	*	132	*	*	20
SCO3CLAF	*	110	*	*	20

COD.	L	P	H	H1	X
SCO3ETI	*	132	*	*	20
SCO3ETIF	*	110	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



SAT-JET

Cancello scorrevole modello Sat-Jet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte inox.

*Sliding gate style Sat-Jet.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with pointed fittings in stainless steel.*

SAT-EGO




Cancello scorrevole modello Sat-Ego.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e borchie inox.

*Sliding gate style Sat-Ego.
Pipes with pointed fittings and studs in
stainless steel.*

SAT-DOUBLE

Cancello scorrevole modello Sat-Double.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e due borchie inox.

*Sliding gate style Sat-Double.
Pipes with pointed fittings and two studs in
stainless steel.*



COD.	L	P	H	H1	X
SC03JET	*	132	*	*	20
SC03JETF	*	110	*	*	20

COD.	L	P	H	H1	X
SC03EGO	*	132	*	*	20
SC03EGOF	*	110	*	*	20

COD.	L	P	H	H1	X
SC03DOU	*	132	*	*	20
SC03DOUF	*	110	*	*	20



DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



SAT-ONDA

Cancello scorrevole modello Sat-Onda.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con tappi inox.

*Sliding gate style Sat-Onda.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with stainless steel caps.*



SAT-ONDAJET

Cancello scorrevole modello Sat-Ondajet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con punte inox.




*Sliding gate style Sat-Ondajet.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with pointed fittings in stainless steel.*



SAT-GEA

Cancello scorrevole modello Sat-Gea.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi e dritti alternati.

*Sliding gate style Sat-Gea.
Stainless steel AISI 304 satin finish or AISI 316L.
Alternating bended pipes and straight pipes.*



COD.	L	P	H	H1	X
SCO3OND	*	132	*	*	20
SCO3ONDF	*	110	*	*	20

COD.	L	P	H	H1	X
SCO3ONDP	*	132	*	*	20

COD.	L	P	H	H1	X
SCO3GEA	*	132	*	*	20




DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



SAT-ELEGANT

Cancello scorrevole modello Sat-Elegant.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi.

*Sliding gate style Sat-Elegant.
Stainless steel AISI 304 satin finish or AISI 316L.
Bended pipes.*



COD.	L	P	H	H1	X
SC03ELE	*	132	*	*	20



DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST

SAT

ALCUNI CANCELLI SCORREVOLI REALIZZATI
SOME REALIZED SLIDING GATES



Star style



Cancello scorrevole costituito da tubolari saldati a TIG con pannello di recinzione e zoccolatura inferiore a doppio tubetto. Le dimensioni e la predisposizione per l'installazione di un impianto di automazione sono a richiesta del cliente. Non necessita di alcuna manutenzione e conserva inalterate nel tempo tutte le qualità meccaniche ed estetiche dell'acciaio inox AISI 304 satinato (standard) o AISI 316L.

Sliding gate composed of T.I.G. welded tubular pipes with fencing panel and lower part with double pipes. Dimensions and motorized lock are on request of customer. It does not need any type of maintenance and keeps all mechanical and aesthetical qualities of stainless steel AISI 304 satin finished (standard) or AISI 316L.



STAR-COMPANY

Cancello scorrevole modello Star-Company.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi neri in plastica.

*Sliding gate style Star-Company.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with black plastic caps.*



STAR-CLASSICA

Cancello scorrevole modello Star-Classica.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi inox.




*Sliding gate style Star-Classica.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with stainless steel caps.*



STAR-ETICA

Cancello scorrevole modello Star-Etica.
Acciaio inox AISI 304 satinato o AISI 316L.

*Sliding gate style Star-Etica.
Stainless steel AISI 304 satin finish or AISI 316L.*



COD.	L	P	H	H1	X
SCO4COM	*	132	*	*	20

COD.	L	P	H	H1	X
SCO4CLA	*	132	*	*	20
SCO4CLAF	*	110	*	*	20

COD.	L	P	H	H1	X
SCO4ETI	*	132	*	*	20
SCO4ETIF	*	110	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



STAR-JET

Cancello scorrevole modello Star-Jet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte inox.

*Sliding gate style Star-Jet.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with pointed fittings in stainless steel.*



STAR-EGO

Cancello scorrevole modello Star-Ego.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e borchie inox.




*Sliding gate style Star-Ego.
Pipes with pointed fittings and studs in
stainless steel.*



STAR-DOUBLE

Cancello scorrevole modello Star-Double.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e due borchie inox.

*Sliding gate style Star-Double.
Pipes with pointed fittings and two studs in
stainless steel.*



COD.	L	P	H	H1	X
SCO4JET	*	132	*	*	20
SCO4JETF	*	110	*	*	20

COD.	L	P	H	H1	X
SCO4EGO	*	132	*	*	20
SCO4EGOF	*	110	*	*	20

COD.	L	P	H	H1	X
SCO4DOU	*	132	*	*	20
SCO4DOUF	*	110	*	*	20



DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



STAR-ONDA

Cancello scorrevole modello Star-Onda.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con tappi inox.

*Sliding gate style Star-Onda.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with stainless steel caps.*



STAR-ONDAJET

Cancello scorrevole modello Star-Ondajet.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti montati a onda con punte inox.




*Sliding gate style Star-Ondajet.
Stainless steel AISI 304 satin finish or AISI 316L.
Wave mounted pipes with pointed fittings in stainless steel.*



STAR-GEA

Cancello scorrevole modello Star-Gea.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi e dritti alternati.

*Sliding gate style Star-Gea.
Stainless steel AISI 304 satin finish or AISI 316L.
Alternating bended pipes and straight pipes.*



COD.	L	P	H	H1	X
SCO40ND	*	132	*	*	20
SCO40NDF	*	110	*	*	20

COD.	L	P	H	H1	X
SCO40NDP	*	132	*	*	20

COD.	L	P	H	H1	X
SCO4GEA	*	132	*	*	20



DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST




ALCUNI CANCELLI SCORREVOLI REALIZZATI



STAR-ELEGANT

Cancello scorrevole modello Star-Elegant.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti curvi.

*Sliding gate style Star-Elegant.
Stainless steel AISI 304 satin finish or AISI 316L.
Bended pipes.*




COD.	L	P	H	H1	X
SC04ELE	*	132	*	*	20

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST

STAR

SOME REALIZED SLIDING GATES




Globo *style*



Cancello scorrevole costituito da tubolari saldati a TIG, pannellatura in lamiera pressopiegata o satinata alternata e pannello di recinzione. Le dimensioni e la predisposizione per l'installazione di un impianto di automazione sono a richiesta del cliente. Non necessita di alcuna manutenzione e conserva inalterate nel tempo tutte le qualità meccaniche ed estetiche dell'acciaio inox AISI 304 satinato (standard) o AISI 316L.


Sliding gate composed of T.I.G. welded tubular pipes with panelling in sheet metal or alternated satin finished and fencing panel. Dimensions and motorized lock are on request of customer. It does not need any type of maintenance and keeps all mechanical and aesthetical qualities of stainless steel AISI 304 satin finished (standard) or AISI 316L.



GLOBO BOM

Cancello scorrevole modello Globo bombato.
Acciaio inox AISI 304 satinato o AISI 316L.
Lamiera bombata.


*Sliding gate style Globo convexed.
Stainless steel AISI 304 satin finish or AISI 316L.
Convex plated.*



GLOBO INT

Cancello scorrevole modello Globo intrecciato.
Acciaio inox AISI 304 satinato o AISI 316L.
Lamiera intrecciata.




*Sliding gate style Globo braided.
Stainless steel AISI 304 satin finish or AISI 316L.
Braid plated.*



GLOBO SAT

Cancello scorrevole modello Globo satinato.
Acciaio inox AISI 304 satinato o AISI 316L.
Lamiera satinata.

*Sliding gate style Globo satin finished.
Stainless steel AISI 304 satin finish or AISI 316L.
Satin finish plated.*



COD.	L	H
SC05BOM	*	*

COD.	L	H
SC05INT	*	*

COD.	L	H
SC05SAT	*	*

* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST

ALCUNI CANCELLI SCORREVOLI REALIZZATI

SOME REALIZED SLIDING GATES

GLOBO



Futura style



DELINEA

Cancello scorrevole realizzato in acciaio inossidabile con tecnologia laser e tubi e montanti a sezione tonda. Le dimensioni e la predisposizione per l'installazione di un impianto di automazione sono a richiesta del cliente. Non necessita di alcuna manutenzione e conserva inalterate nel tempo tutte le qualità meccaniche ed estetiche dell'acciaio inox AISI 304 satinato (standard) o AISI 316L.

Sliding gate composed of vertical pipes, standard pitch and horizontal shaped tubular pipes. Dimensions and motorized lock are on request of customer. It does not need any type of maintenance and keeps all mechanical and aesthetical qualities of stainless steel AISI 304 satin finished (standard) or AISI 316L.



FUTURA

Cancello scorrevole modello Futura.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con tappi inox.

*Sliding gate style Futura.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with stainless steel caps.*



FUTURA1

Cancello scorrevole modello Futura1.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte inox.




*Sliding gate style Futura1.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with pointed fittings in stainless steel.*



FUTURA2

Cancello scorrevole modello Futura2.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e borchie inox.

*Sliding gate style Futura2.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with pointed fittings and studs in stainless steel.*



COD.	L	P	H	H1	X
SCOFUT	*	132	*	*	20

COD.	L	P	H	H1	X
SCOFUT1	*	132	*	*	20

COD.	L	P	H	H1	X
SCOFUT2	*	132	*	*	20


* DIMENSIONI A RICHIESTA
DIMENSIONS ON REQUEST



FUTURA3

Cancello scorrevole modello Futura3.
Acciaio inox AISI 304 satinato o AISI 316L.
Tubetti con punte e due borchie inox.

*Sliding gate style Futura3.
Stainless steel AISI 304 satin finish or AISI 316L.
Pipes with pointed fittings and two studs in stainless steel.*



COD.	L	P	H	H1	X
SCOFUT3	*	132	*	*	20



distributore - reseller

Expo inox s.p.a.

27027 Gropello Cairoli (Pavia)

tel. 0039 0382 814343

fax 0039 0382 817223

expoinox@expoinox.com

www.expoinox.com